




LEFT ISOMETRIC ELEVATION

600 SQ.FT - 16'-0"X 38'-0"


2 BEDROOMS


1 BATHROOMS


600 SQFT



SQUARE FOOTAGE BREAKDOWN
TOTAL HEATED AREA:600 SQ. FT.
1ST FLOOR:600 SQ. FT.
PORCH, COMBINED:0 SQ. FT.
PORCH, REAR:0 SQ. FT.
PORCH, FRONT:45 SQ. FT.

BEDS/BATHS
BEDROOMS:2
FULL BATHROOMS:1
HALF BATHROOMS:0

FOUNDATION TYPE
STANDARD FOUNDATIONS:MONOLITHIC SLAB, SLAB
OPTIONAL FOUNDATIONS:DAYLIGHT, CRAWL, BASEMENT
NEED A DIFFERENT FOUNDATION?REQUEST A
MODIFICATION QUOTE

EXTERIOR WALLS
STANDARD TYPE(S):2X6
DIMENSIONS
WIDTH:16'-0"
DEPTH:38'-0"
MAX RIDGE HEIGHT:13'-3"

GARAGE
TYPE:NONE
AREA:0 SQ. FT.
COUNT:0 CARS
ENTRY LOCATION:NONE

CEILING HEIGHTS
FIRST FLOOR: 9'-0" CEILING HEIGHT
GREAT ROOM VAULTED 0'-0"
ROOF DETAILS
PRIMARY PITCH:5 ON 12
SECONDARY PITCH:NONE
FRAMING TYPE:TRUSS



3D FLOOR PLAN



COMPACT DESIGN
Efficient Design, Exceptional Living



FRONT ELEVATION



REAR ELEVATION



RIGHT ISOMETRIC ELEVATION



COMPACT DESIGN
Efficient Design, Exceptional Living