




LEFT ISOMETRIC ELEVATION

600 SQ.FT - 30'-5"X 20'-0"


1 BEDROOM


1 1/2 BATHROOM


600 SQFT



SQUARE FOOTAGE BREAKDOWN
TOTAL HEATED AREA:600 SQ. FT.
1ST FLOOR: 600 SQ. FT.
PORCH, COMBINED:0 SQ. FT.
PORCH, REAR:0 SQ. FT.
PORCH, FRONT:0 SQ. FT.

BEDS/BATHS
BEDROOM:1
FULL BATHROOMS:1
HALF BATHROOMS:1

FOUNDATION TYPE
STANDARD FOUNDATIONS:MONOLITHIC SLAB, SLAB
OPTIONAL FOUNDATIONS:DAYLIGHT, CRAWL, BASEMENT
NEED A DIFFERENT FOUNDATION?REQUEST A
MODIFICATION QUOTE

EXTERIOR WALLS
STANDARD TYPE(S):2X6

DIMENSIONS
WIDTH:30'-5"
DEPTH 20'-0"
MAX RIDGE HEIGHT:14'-1"

GARAGE
TYPE:NONE
AREA:0 SQ. FT.
COUNT:0 CARS
ENTRY LOCATION:NONE

CEILING HEIGHTS
FIRST FLOOR: 9'-0" CEILING HEIGHT
GREAT ROOM VAULTED 0'-0"

ROOF DETAILS
PRIMARY PITCH:5 ON 12
SECONDARY PITCH:NONE
FRAMING TYPE:TRUSS




3D FLOOR PLAN



COMPACT DESIGN
Efficient Design, Exceptional Living



FRONT ELEVATION



REAR ELEVATION



RIGHT ISOMETRIC ELEVATION



COMPACT DESIGN
Efficient Design, Exceptional Living