




LEFT ISOMETRIC ELEVATION

590 SQ.FT - 22'-6"X 27'-3"


2 BEDROOM


2 BATHROOM


590SQFT



SQUARE FOOTAGE BREAKDOWN
TOTAL HEATED AREA:590 SQ. FT.
1ST FLOOR: 590 SQ. FT
2ND FLOOR: 613 SQ. FT

BEDS/BATHS
BEDROOM:2
FULL BATHROOMS:2

FOUNDATION TYPE
STANDARD FOUNDATIONS:MONOLITHIC SLAB, SLAB
OPTIONAL FOUNDATIONS:DAYLIGHT, CRAWL, BASEMENT
NEED A DIFFERENT FOUNDATION?REQUEST A
MODIFICATION QUOTE

EXTERIOR WALLS
STANDARD TYPE(S):2X6
DIMENSIONS
WIDTH:22'-6"
DEPTH:27'-3"
MAX RIDGE HEIGHT:23'-8"
GARAGE
TYPE:NONE
AREA:0 SQ. FT.
COUNT:0 CARS
CEILING HEIGHTS
FIRST FLOOR: 9'-0" CEILING HEIGHT
SECOND FLOOR: 9'-0" CEILING HEIGHT
GREAT ROOM VAULTED 0'-0"
ROOF DETAILS
PRIMARY PITCH: 4 ON 12
SECONDARY PITCH: 4 ON 12
FRAMING TYPE:TRUSS






LEFT ISOMETRIC ELEVATION
590 SQ.FT - 22'-6"X 27'-3"


2 BEDROOM


2 BATHROOM


590SQFT



SQUARE FOOTAGE BREAKDOWN
TOTAL HEATED AREA:590 SQ. FT.
1ST FLOOR: 590 SQ. FT
2ND FLOOR: 613 SQ. FT

BEDS/BATHS
BEDROOM:2
FULL BATHROOMS:2

FOUNDATION TYPE
STANDARD FOUNDATIONS:MONOLITHIC SLAB, SLAB
OPTIONAL FOUNDATIONS:DAYLIGHT, CRAWL, BASEMENT
NEED A DIFFERENT FOUNDATION?REQUEST A
MODIFICATION QUOTE

EXTERIOR WALLS
STANDARD TYPE(S):2X6

DIMENSIONS
WIDTH:22'-6"
DEPTH:27'-3"
MAX RIDGE HEIGHT:23'-8"

GARAGE
TYPE:NONE
AREA:0 SQ. FT.
COUNT:0 CARS

CEILING HEIGHTS
FIRST FLOOR: 9'-0" CEILING HEIGHT
SECOND FLOOR: 9'-0" CEILING HEIGHT
GREAT ROOM VAULTED 0'-0"

ROOF DETAILS
PRIMARY PITCH: 4 ON 12
SECONDRY PITCH: 4 ON 12
FRAMING TYPE:TRUSS



3D FLOOR PLAN



COMPACT DESIGN
Efficient Design, Exceptional Living

3D FLOOR PLAN



COMPACT DESIGN
Efficient Design, Exceptional Living




FRONT ELEVATION



REAR ELEVATION



RIGHT ISOMETRIC ELEVATION



COMPACT DESIGN
Efficient Design, Exceptional Living