




LEFT ISOMETRIC ELEVATION

1194 SQ.FT - 29'-10"X 20'-0"


4 BEDROOMS


2 BATHROOMS


1194 SQFT



1ST FLOOR PLAN

SQUARE FOOTAGE BREAKDOWN
TOTAL HEATED AREA:1194 SQ. FT.
1ST FLOOR:597 SQ. FT.
2ND FLOOR:597 SQ.FT
PORCH, COMBINED:0 SQ. FT.
PORCH, REAR:0 SQ. FT.
PORCH, FRONT:0SQ. FT.

BEDS/BATHS
BEDROOMS:4
FULL BATHROOMS:2
HALF BATHROOMS:0

FOUNDATION TYPE
STANDARD FOUNDATIONS:MONOLITHIC SLAB, SLAB
OPTIONAL FOUNDATIONS:DAYLIGHT, CRAWL, BASEMENT
NEED A DIFFERENT FOUNDATION?REQUEST A
MODIFICATION QUOTE

EXTERIOR WALLS
STANDARD TYPE(S):2X6
DIMENSIONS
WIDTH:29'-10"
DEPTH:20'-0"
MAX RIDGE HEIGHT:26'-1"
GARAGE
TYPE:NONE
AREA:0 SQ. FT.
COUNT:0 CARS
ENTRY LOCATION:NONE
CEILING HEIGHTS
FIRST FLOOR: 10'-0" CEILING HEIGHT
ROOF DETAILS
PRIMARY PITCH:5 ON 12
SECONDARY PITCH:NONE
FRAMING TYPE:TRUSS






LEFT ISOMETRIC ELEVATION
1194 SQ.FT - 29'-10"X 20'-0"


4 BEDROOMS


2 BATHROOMS


1194 SQFT



SQUARE FOOTAGE BREAKDOWN
TOTAL HEATED AREA:1194 SQ. FT.
1ST FLOOR:597 SQ. FT.
2ND FLOOR:597 SQ.FT
PORCH, COMBINED:0 SQ. FT.
PORCH, REAR:0 SQ. FT.
PORCH, FRONT:0SQ. FT.

BEDS/BATHS
BEDROOMS:4
FULL BATHROOMS:2
HALF BATHROOMS:0

FOUNDATION TYPE
STANDARD FOUNDATIONS:MONOLITHIC SLAB, SLAB
OPTIONAL FOUNDATIONS:DAYLIGHT, CRAWL, BASEMENT
NEED A DIFFERENT FOUNDATION?REQUEST A
MODIFICATION QUOTE

EXTERIOR WALLS
STANDARD TYPE(S):2X6
DIMENSIONS
WIDTH:29'-10"
DEPTH:20'-0"
MAX RIDGE HEIGHT:26'-1"
GARAGE
TYPE:NONE
AREA:0 SQ. FT.
COUNT:0 CARS
ENTRY LOCATION:NONE
CEILING HEIGHTS
FIRST FLOOR: 10'-0" CEILING HEIGHT
ROOF DETAILS
PRIMARY PITCH:5 ON 12
SECONDARY PITCH:NONE
FRAMING TYPE:TRUSS

2ND FLOOR PLAN



3D FLOOR PLAN



1ST FLOOR PLAN



COMPACT DESIGN
Efficient Design, Exceptional Living

3D FLOOR PLAN



2ND FLOOR PLAN



COMPACT DESIGN
Efficient Design, Exceptional Living



SPANISH STYLE ELEVATION



CRAFTSMAN STYLE ELEVATION



MODERN STYLE ELEVATION



FRONT ELEVATION



REAR ELEVATION



RIGHT ISOMETRIC ELEVATION



COMPACT DESIGN
Efficient Design, Exceptional Living